



MidCentral DHB 1 Jan - 31 Dec 2017

% susceptible	<i>S. aureus</i> (sterile sites)	<i>S. aureus</i> (non-sterile sites)	MRSA	Coagulase negative Staphylococci (blood)	<i>Staph saprophyticus</i> (urine)	<i>Strep. pneumo</i>	<i>Strep. pneumo</i> (with penicillin I/R)	<i>Enterococcus spp</i>	<i>Haem. influenzae</i>	<i>Pseudo. aeruginosa</i>	<i>E. coli</i> (blood)	<i>E. coli</i> (urine)	<i>E. coli</i> ESBL (Urine)	<i>Klebsiella species</i>
Number Tested	100-160	3000	280-300	80-180	100-180	110-160	30-40	450-500	400-500	450-470	80-100	2-4k	80-90	170-340
Amoxicillin			R				59	88	74	R	38		R	R
Amox/Clav			R						94	R	64	82		92
Cefalexin			R					R		R		95	R	97
Cefepime			R					R		95				
Ceftazidime			R					R		93				
Ceftriaxone			R				75	R	95	R	92			94
Cefuroxime			R					R		R	90		R	insuff
Clindamycin	93	90	84	71										
Cotrimoxazole		97	95		96	76	20	R	69	R				91
Erythromycin		89	80			85	46							
Flucloxacillin	92	90	R	51	80			R						
Fluoroquinolones										86	92	92	37	96
Fusidic Acid		78	43					R						
Gentamicin				74						92	91		64	99
Meropenem			R							92	100		100	100
Nitrofurantoin					100			97 ¹				98	96	
Penicillin			R			77	0							
Pip/Taz			R							94	94			93
Tetracycline		98	97			86	58		99					
Trimethoprim					93							72	31	83
Vancomycin	100	100	100	99		insuff	insuff	99						
ESBL+ve -% of total											6%	2%		1%
AmpC+ve -% of total											1%	1%		0%

	≥ 90% of isolates susceptible
	70 - 89% of isolates susceptible
	Insufficient isolates (<30)

	< 70% of isolates susceptible
	R

Intrinsically Resistant

1. *Enterococcus faecalis* only, no breakpoints available for *Enterococcus faecium*