



MidCentral DHB 1 Jan - 31 Dec 2019

% susceptible clinical isolates, screening not included	% susceptible												
	<i>S. aureus</i> (sterile sites)	<i>S. aureus</i> (non-sterile sites)	MRSA	Coagulase negative Staphylococci (blood)	<i>Staph saprophyticus</i> (urine)	<i>Strep. pneumoniae</i>	<i>Enterococcus spp</i>	<i>Haem. influenzae</i>	<i>Pseudo. aeruginosa</i>	<i>E. coli</i> (blood)	<i>E. coli</i> (urine)	<i>E. coli</i> ESBL (Urine)	<i>Klebsiella species</i>
Number Tested	150	3330	395	200	148	91-123	335	350-390	550	72-98	2-4K	150	200-420
Amoxicillin			R			≥ 90	85	41	R	39		R	R
Amox/Clav			R					50	R	57	80		91
Cefalexin			R				R		R		94	R	98
Cefepime			R				R		93			R	
Ceftazidime			R				R		93			(R)	
Ceftriaxone			R			≥ 90	R	93	R	94		(R)	92
Cefuroxime			R				R		R	94		R	Insuff
Clindamycin	90	91	87	73									
Cotrimoxazole		96	91		91	79	R	67	R				87
Erythromycin		88	79			85							
Flucloxacillin	88	88	R	53	92		R						
Fluoroquinolones							R		88	85	91	27	91
Fusidic Acid		82	46				R						
Gentamicin									93	89		64	97
Meropenem			R						92	100		100	100
Nitrofurantoin					100		99*				99	97	
Penicillin			R			81							
Pip/Taz			R						92	93			90
Tetracycline		97	95			87		99					
Tobramycin									98				
Trimethoprim					87						71	36	80
Vancomycin	100	100	100	100		100	100						
ESBL+ve -% of total										6%	4%		3%
AmpC+ve -% of total										0%	1%		0%
Carbapenemase+ve % of total (number of patients)									0%(0)	0%(0)	0%(1)		0%(0)

	≥ 90% of isolates susceptible		< 70% of isolates susceptible
	70 - 89% of isolates susceptible	R	Intrinsically Resistant
Insuff	Insufficient isolates (<30)		

* *Enterococcus faecalis* only, no breakpoints available for *Enterococcus faecium*